# **Technology Sheet**





#### **CTD-Diver features:**

- Compact housing ideal for small diameter wells
- Corrosion resistant ceramic sensor and housing
- Measures three parameters:
  - conductivity
  - temperature
- pressure
- Various measurement methods:
  - fixed
  - average
  - event-dependent
  - pumping test
- Battery life capable of 2 million readings

# CTD-Diver

# Groundwater monitoring for Diverse environments



CTD-Diver datalogger shown with Diver-Pocket\* software

## **Applications:**

- Aquifer recharge monitoring
- Saltwater intrusion monitoring
- Monitoring water quality and quantity at mine sites
- Monitoring water level and salinity of reclaimed water

# Overview

Where there is a need to monitor not only groundwater levels but also saltwater intrusion, injected wastewater, or migration of contaminants or mine tailings, the CTD-Diver\* is the instrument of choice. In addition to the pressure and temperature sensor, the CTD-Diver has a four-electrode ceramic sensor for accurately reading conductivity up to 120 mS/cm. There are two options for measuring conductivity: displaying measured conductivity or specific conductivity at 25 °C.

With an improved compact ceramic housing, CTD-Diver is ideal for small diameter wells. The expanded non-volatile memory will store up to 48000 measurements of water level, temperature, and conductivity with date and time. CTD-Diver is integrated with field acquisition accessories and desktop software.

# Specifications

### **Temperature**

range / compensated -20 °C to 80 °C / 0 °C to 50 °C accuracy  $\pm 0.1$  °C resolution 0.01 °C

### **Conductivity**

user adjustable range accuracy 10  $\mu$ S/cm to 120 mS/cm  $\pm$  1.0 % of reading resolution  $\pm$  0.1 % of reading

#### Pressure

Туре	DI 271	DI 272	DI 273
Range	10 m H20	50 m H20	100 m H20
- accuracy <sup>1</sup>	±0.5 cm H20	±2.5 cm H20	±5.0 cm H20
- resolution	0.2 cm H2O	1.0 cm H20	2.0 cm H20

'typical accuracy. Baro-Diver is required for barometric compensation ©Schlumberger \*Mark of Schlumberger