

Premier Portable Instruments

GX-6000 Six Sensor Sample Draw Gas Monitor Price Configurator

Base Instrument	4 Gas Sensors	Smart Sensor 1	Smart Sensor 2	Battery
72 - 6	A	B	X	C

Step 1 Step 2 Step 3 Step 4

4 Gas Sensors	Smart Sensor 1	Smart Sensor 1	Battery
---------------	----------------	----------------	---------

\$1,695 \$1,200 \$0.00 \$250 \$3,145

Total List Price



Above Example:

72-6ABX-C

GX-6000 for LEL / O2 / H2S / CO / VOC's (0 - 6,000 ppm PID) with Li-Ion battery pack and

115 VAC charger \$3,145.00

Step 1

Standard 4 gas sensors

X	No 4 gas sensors	1,495.00
A	LEL / O2 / H2S / CO	1,695.00
B	LEL / O2 / CO	1,645.00
C	LEL / O2 / H2S	1,645.00
D	O2 / H2S	1,595.00
E	O2 / CO	1,595.00
F	LEL / CO	1,595.00
G	LEL / H2S	1,595.00
H	LEL / O2	1,595.00
I	CO	1,545.00
J	H2S	1,545.00
K	O2	1,545.00
L	LEL	1,545.00
M	O2 / H2S / CO	1,645.00
N	LEL / H2S / CO	1,645.00

Step 2 & Step 3

Smart Sensor Slots 1 and 2

X	No Sensor	0.00
A	PID, Low range, 50 ppm (PID-001)	1,600.00
B	PID, High range, 6,000 ppm (PID-002)	1,200.00
C	IR, CH4, 100% LEL / 100% vol, (DES-3311-3)	400.00
D	IR, HC, 100% LEL / 30% vol, (DES-3311-2)	400.00
E	IR, CO2, 10,000 ppm, (DES-3311-4-01)	450.00
F	IR, CO2, 5% vol (DES-3311-1-01)	450.00
I	SO2, 6 ppm (ESS-03DH-SO2)	260.00
K	NO2, 9 ppm (ESS-03DH-NO2)	260.00
L	HCN, 15 ppm (ESS-03DH-HCN)	260.00
M	NH3, 400 ppm (ESS-B332-NH3)	260.00
P	Cl2, 10 ppm (ESS-B335-CL2)	260.00

Step 4

Battery options

A	Alkaline battery pack only	0.00
B	Alkaline and Li-Ion battery pack with 100-240 VAC Charger	375.00
C	Li-Ion battery pack with 100-240 VAC Charger	250.00
D	Li-Ion battery pack only with 12 VDC charger (Alkaline battery pack not included)	250.00
E	Alkaline and Li-Ion battery pack with 12 VDC Charger	375.00
F	Li-Ion battery pack only with 100-240 VAC / 12 VDC combo charger (Alkaline battery pack not included)	270.00
G	Alkaline and Li-Ion battery pack with 100-240 VAC / 12 VDC combo charger	395.00
H	Li-Ion battery pack only with no charger	125.00

Part # order for instruments using both Smart Sensor slots:

PID 1
PID 2
Cl2
All other sensors

Premier Portable Instruments

GX-6000 Instrument Price Includes

Part#	Description
20-0326	Rubber protective boot for GX-6000
49-1619	Battery pack, Li-Ion, BUL-6000 for GX-6000 or 49-1620 Battery pack, alkaline, BUD-6000 for GX-6000
71-8010	Product CD, GX-6000, includes data logging software with manual, operators manual and spare parts list
80-0006-03P	Hose, 3' for GX-6000, Teflon lined with probe attached

GX-6000 Common Configurations

Part#	Description	Suggested Retail
72-6AAX-C	GX-6000 for LEL / O2 / H2S / CO / VOC's (0 - 50,000 ppb PID) with Li-Ion battery pack and 115 VAC charger	3,545.00
72-6ABX-C	GX-6000 for LEL / O2 / H2S / CO / VOC's (0 - 6,000 ppm PID) with Li-Ion battery pack and 115 VAC charger	3,145.00
72-6XAX-C	GX-6000 for VOC's (0 - 50,000 ppb PID) with Li-Ion battery pack and 115 VAC charger	3,345.00
72-6XBX-C	GX-6000 for VOC's (0 - 6,000 ppm PID) with Li-Ion battery pack and 115 VAC charger	2,945.00
72-6AAX-C	GX-6000 for LEL / O2 / H2S / CO with Li-Ion battery pack and 115 VAC charger	1,945.00
72-6ABL-C	GX-6000 for LEL / O2 / H2S / CO / VOC's (0 - 6,000 ppm PID) / HCN with Li-Ion battery pack and 115 VAC charger	3,405.00
72-6ABK-C	GX-6000 for LEL / O2 / H2S / CO / VOC's (0 - 6,000 ppm PID) / NO2 with Li-Ion battery pack and 115 VAC charger	3,405.00
72-6ABI-C	GX-6000 for LEL / O2 / H2S / CO / VOC's (0 - 6,000 ppm PID) / SO2 with Li-Ion battery pack and 115 VAC charger	3,405.00

GX-6000 Replacement Sensors

Part#	Description	Suggested Retail
NC-6264A	Sensor, LEL, for GX-2009/GX-2012/GX-6000/GP-03/Gas Tracer	120.00
OS-BM2	Sensor, Oxygen (O2) for GX-2009/GX-2012/GX-6000/OX-03/Gas Tracer ...	120.00
ES-1827i	Sensor, Hydrogen Sulfide (H2S) for GX-2009/GX-2012/GX-6000/HS-03 ...	140.00
ES-1821	Sensor, Carbon Monoxide (CO) for GX-2009/GX-2012/GX-6000/CO-03/ Gas Tracer	140.00
PID-001	Sensor, PID, VOC 0-50 ppm for GX-6000	1,600.00
PID-002	Sensor, PID, VOC 0-6,000 ppm for GX-6000	1,200.00
51-1500RK	PID replacement lamp, 0 - 50 ppm, for Ion Science PID	275.00
51-1502	Replacement lamp, 0-2000 (EAGLE 2) or 0-6000 ppm (GX-6000) PID	250.00
51-1502-01	Replacement lamp and stack set, 0-6000 ppm for Ion Science HPPM PID	290.00
33-0560-01	Electrode Stack, 0-50 ppm, (1 electrode) for GX-6000 PID	60.00
33-0562	Electrode Stack, 0-6,000 ppm, (1 electrode) for GX-6000 PID	44.00
DES-3311-3	Sensor, IR, Methane (CH4) 0 - 100% LEL / 0 - 100% volume auto range for GX-6000	400.00
DES-3311-2	Sensor, IR, Hydrocarbons (HC) 0 - 100% LEL / 0 - 30% volume auto range for GX-6000	400.00
DES-3311-4	Sensor, IR, Carbon Dioxide (CO2) 0 - 10,000 ppm for GX-6000	400.00
DES-3311-4-01	Sensor, IR, Carbon Dioxide (CO2) 0 - 10,000 ppm with scrubber for GX-6000	450.00
DES-3311-1	Sensor, IR, Carbon Dioxide (CO2) 0 - 5% for GX-6000	400.00
DES-3311-1-01	Sensor, IR, Carbon Dioxide (CO2) 0 - 5% with scrubber for GX-6000	450.00
ESS-B332-NH3	Sensor, Ammonia (NH3), 0-400 ppm for GX-6000	260.00
ESS-03DH-HCN	Sensor, Hydrogen Cyanide (HCN) 0 - 15 ppm for GX-6000	260.00
ESS-B335-CL2	Sensor, Chlorine (Cl2), 0-10 ppm for GX-6000	260.00
ESS-03DH-NO2	Sensor, Nitrogen Dioxide (NO2), 0-9 ppm for GX-6000	260.00
ESS-03DH-SO2	Sensor, Sulfur Dioxide (SO2) 0 - 6 ppm for GX-6000	260.00



Premier Portable Instruments

GX-6000 Calibration Kits

Part#	Description	Suggested Retail
72-6AAX	81-6AAX-DLV Cal Kit, GX-6000, 34AL cyl 10 ppm isobutylene in air, 34AL cyl H2S/CO/CH4/O2, dem flow reg, case & tubing	655.00
72-6ABI	81-6ABI-DLV Cal Kit, GX-6000, 34AL cyl 100 ppm Isobutylene/H2S/CO/CH4/O2, 34AL cyl 5 ppm SO2 in N2, dem flow reg, case, tubing	710.00
72-6ABK	81-6ABK-DLV Cal Kit, GX-6000, 34AL cyl 100 ppm Isobutylene/H2S/CO/CH4/O2, 34AL cyl 10 ppm NO2 in N2, dem flow reg, case, tubing	805.00
72-6ABL	81-6ABL-DLV Cal Kit, GX-6000, 34AL cyl 100 ppm Isobutylene/H2S/CO/CH4/O2, 34AL cyl 10 ppm HCN in N2, dem flow reg, case, tubing	810.00
72-6ABX	81-6ABX-DLV Cal Kit, GX-6000, 34AL cyl 100 ppm Isobutylene/H2S/CO/CH4/O2, dem flow reg, case, tubing	575.00
72-6AXX	81-6AXX Cal kit, GX-6000, 58AL cyl CH4/O2/H2S/CO, dem flow reg, case and tubing	580.00
	81-6AXX-DLV Cal kit, GX-6000, 34AL cyl CH4/O2/H2S/CO, dem flow reg, case and tubing	520.00
72-6XAX	81-6XAX-DLV Cal Kit, GX-6000, 34AL cyl 10 ppm isobutylene in air, dem flow reg, case & tubing	490.00
72-6XBX	81-6XBX-DLV Cal Kit, GX-6000, 34AL cyl 100 ppm isobutylene in air, dem flow reg, case & tubing	520.00

GX-6000 Bundles

Part#	Description	Suggested Retail
72-6ABX-C-50	GX-6000 for LEL / O2 / H2S / CO / VOC's (0 - 6,000 ppm PID) with Li-Ion battery pack, 115 VAC charger, and padded carrying case	3,225.00
72-6ABX-C-51	GX-6000 for LEL / O2 / H2S / CO / VOC's (0 - 6,000 ppm PID) with Li-Ion battery pack, 115 VAC charger, 34AL cylinder isobutylene/CH4/O2/CO/H2S, demand flow regulator, tubing, and padded carrying case	3,765.00
72-6XBX-C-50	GX-6000 for VOC's (0 - 6,000 ppm PID) with Li-Ion battery pack, 115 VAC charger, and padded carrying case	3,025.00
72-6XBX-C-51	GX-6000 for VOC's (0 - 6,000 ppm PID) with Li-Ion battery pack, 115 VAC charger, 34AL cylinder 100 ppm isobutylene/air, demand flow regulator, tubing, and padded carrying case	3,510.00
72-6AAX-C-50	GX-6000 for LEL / O2 / H2S / CO with Li-Ion battery pack, 115 VAC charger, and padded carrying case	2,025.00
72-6AAX-C-51	GX-6000 for LEL / O2 / H2S / CO with Li-Ion battery pack, 115 VAC charger, 34AL cylinder CH4/O2/CO/H2S, demand flow regulator, tubing, and padded carrying case	2,510.00



72-6ABX-C-51

Premier Portable Instruments

GX-6000 Replacement Parts & Accessories

Part#	Description	Suggested Retail
07-6035	O-ring, rubber exhaust sealing for GX-6000	1.20
07-6036	Gasket for top cover, black rubber for GX-6000	9.00
07-6038	Gasket for cover, black rubber for GX-6000	11.00
07-6039	Rubber joint for pressure sensor, black for GX-6000	15.00
07-6040	Gasket for sensor chamber (sensor cover), black rubber for GX-6000	11.00
07-6041	Sensor gasket, fluorine rubber, for GX-6000	32.00
07-6043	Gasket for pump, black rubber for GX-6000	15.00
10-1089RK	Screw, M2 x 4.5 mm, 304 SS, phillips, self tapping	2.00
10-1093RK	Screw M2 x 6	0.50
13-0112RK	Wrist strap	4.00
13-0123	Belt clip with installation screws for GX-6000	28.00
13-0601-01	Straps and washer assembly for GX-6000 charger	13.00
13-6022-01	Din rail & end clamps kit to wall mount for one GX-6000 charger	9.00
13-6025-01	Din rail & end clamps kit to wall mount for up to four GX-6000 charger	14.00
17-1031	Tapered nozzle, rubber, red, for GX-6000 inlet	9.00
20-0110-02	Case for GX-6000 plus hose & probe, charger, AC adapter, and manual	80.00
20-0112-04	Case for GX-6000 plus hose & probe, charger, AC adapter, one cylinder cal kit, and manual	120.00
20-0114-03	Case for GX-6000 plus hose & probe, charger, AC adapter, two cylinder cal kit, and manual	175.00
20-0326	Rubber protective boot for GX-6000	38.00
21-1833RK	Filter holder, clear plastic, RP-2009/GX-2003/GX-2012/Gas Tracer/GX-6000	7.50
21-1926	LCD protection film for GX-6000	8.00
21-1926-01	LCD protection film for GX-6000, pack of 5	40.00
29-6100	Water immersion sensing seal, adhesive backed for 03 series, GX-6000, and SP-220	15.00
30-0022RK	Pump replacement for GX-2012/Gas Tracer/RP-2009/GX-6000/FP-31, with cable and connector	140.00
30-1054RK	Vibration motor for the GX-2009 and GX-6000	32.00
33-0159RK	Teflon filter disc, 10 pieces, RP-2009/RP-6/GX-2003/GX-2012/Gas Tracer/GX-6000	24.00
33-0560RK	Electrode stack for PID, 0 - 50 ppm (2 per pack)	115.00
33-0562	Electrode Stack, 0-6,000 ppm, (1 electrode) for GX-6000 PID	44.00
33-1112RK	Wire mesh disk filter, RP-2009/RP-6/GX-2003/GX-2012/Gas Tracer/GX-6000, 10 pack	15.00
33-3013	Filter element, particle, polypropylene/polyethylene for GX-6000 probe	2.00
33-3013-10	Filter element, particle, polypropylene/polyethylene for GX-6000 probe, pack of 10	20.00
33-6015RK	CO2 scrubber, CF-283 for GX-6000/RX-515/RI-85	55.00
33-7102RK	Filter, charcoal, for CO sensor, pack of 5, GX-2009/GX-2012/Gas Tracer/GX-6000	10.00
33-7114RK	Filter disk, H2S scrubber, strip of 5, for LEL sensor port, GP-01/GX-2001/GX-2009/GX-2012/Gas Tracer/ GX-6000	10.00
33-7125	Filter set, 5 charcoal and H2S filters, 10 hydrophobic and metal screen filters for GX-6000	48.00
45-2430RK	Plug adapter for charger, US to Euro, non-grounded	3.60
47-4001	Cable with connectors, main PCB to sensor PCB, for GX-6000	14.00
47-5084RK-01	Downloading cable, USB / IrDA adapter, Windows XP, Windows 7, & Windows 8 compatible (Not needed if computer has built-in IR port)	220.00
49-0115RK	115 / 220 VAC Adapter for charger, GX-6000/GX-2009/GX-2012/Gas Tracer/EAGLE 2/GX-8000 (charger unit not included)	20.00
49-1050RK	Battery, memory backup, silver oxide, SR 616, 1.55 volts, GX-2009 and GX-6000	10.00
49-1120RK	Size AA alkaline battery	1.20
49-1619	Battery pack, Li-Ion, BUL-6000 for GX-6000	250.00
49-1620	Battery pack, alkaline, BUD-6000 for GX-6000	125.00
49-2058RK-04	AC adapter 4 port charger for SDM-2009, SDM-2012, and SDM-03	88.00
49-2182	Battery charger module only, BC-6000, for GX-6000 Li-Ion battery pack	150.00
49-2182-01	Battery charger with 100 - 240 VAC adapter, BC-6000 for GX-6000 Li-Ion battery pack	160.00
49-2183	Battery charger, 12 VDC with vehicle plug, BC-6000 for GX-6000 Li-Ion battery pack	175.00
51-1139	LCD module, BTD-128160B-FBWB-G-G, for GX-6000	60.00
51-1500RK	PID replacement lamp, 0 - 50 ppm, for Ion Science PID	275.00
51-1502	Replacement lamp, 0-2000 (EAGLE 2) or 0-6000 ppm (GX-6000) PID	250.00
51-1502-01	Replacement lamp and stack set, 0-6000 ppm for Ion Science HPPM PID	290.00
65-7001RK	Dummy sensor for GX-2009, GX-2012, or GX-6000 empty sensor slots (LEL, O2, H2S, & CO)	5.00
65-7003	Dummy sensor for GX-6000 empty smart sensors slots	5.00
71-8010	Product CD, GX-6000, includes data logging software with manual, operators manual and spare parts list	0.00
80-0006-03P	Hose, 3' for GX-6000, Teflon lined with probe attached	52.00
80-0006-05P	Hose, 5' for GX-6000, Teflon lined with probe attached	60.00

Premier Portable Instruments

GX-6000 Replacement Parts & Accessories

Part#	Description	Suggested Retail
80-0006-10P	Hose, 10' for GX-6000, Teflon lined with probe attached	80.00
80-0006-15P	Hose, 15' for GX-6000, Teflon lined with probe attached	100.00
80-0006-20P	Hose, 20' for GX-6000, Teflon lined with probe attached	120.00
80-0006-25P	Hose, 25' for GX-6000, Teflon lined with probe attached	140.00
80-0006-30P	Hose, 30' for GX-6000, Teflon lined with probe attached	160.00
80-0006-35P	Hose, 35' for GX-6000, Teflon lined with probe attached	180.00
80-0006-40P	Hose, 40' for GX-6000, Teflon lined with probe attached	200.00
80-0162RK	Flexible 10" probe tube with female quick-connect (attaches to instrument)	75.00
80-0162RK-24	Flexible 24" probe tube with female quick-connect (attaches to instrument)	75.00
80-0172	Probe with hydrophobic filter, dust filter, no scrubber section, for GX-6000 (not for Cl2 use)	28.00
80-0172-01	Probe with hydrophobic filter, no dust filter or scrubber section, for GX-6000 (for Cl2 use)	28.00
81-0071RK-01	Cylinder, CO2, 5000 ppm in N2, 34L	55.00
81-0071RK-03	Cylinder, CO2, 5000 ppm in N2, 103L	155.00
81-0072RK-01	Cylinder, CO2, 2.5% in N2, 34L	55.00
81-0072RK-03	Cylinder, CO2, 2.5% in N2, 103L	155.00
81-0103RK-04	Cylinder, isobutylene 100 ppm in Air, 34AL (aluminum cylinder)	165.00
81-0104RK-04	Cylinder, isobutylene 10 ppm in Air, 34AL (aluminum cylinder)	135.00
81-0143RK-02	Cylinder, isobutylene 100 ppm / H2S 25 ppm / CO 50 ppm / CH4 50% LEL / O2 12% in N2, 58AL	300.00
81-0143RK-04	Cylinder, isobutylene 100 ppm / H2S 25 ppm / CO 50 ppm / CH4 50% LEL / O2 12% in N2, 34AL	220.00
81-0154RK-02	Cylinder, H2S 25 ppm / CO 50 ppm / CH4 50% LEL / O2 12% in N2, 58AL	240.00
81-0154RK-04	Cylinder, H2S 25 ppm / CO 50 ppm / CH4 50% LEL / O2 12% in N2, 34AL	165.00
81-0154RK-116	Cylinder, H2S 25 ppm / CO 50 ppm / CH4 50% LEL / O2 12% in N2, 116AL	340.00
81-0158RK-04	Cylinder, H2S 25 ppm / CO 50 ppm / isobutane 50% LEL / O2 12% in N2, 34AL	170.00
81-0170RK-04	Cylinder, SO2 5 ppm in N2, 34AL	135.00
81-0182RK-04	Cylinder, NO2, 5 ppm in Air, 34AL	230.00
81-0192RK-04	Cylinder, Cl2, 2 ppm in N2, 34AL	235.00
81-0196RK-04	Cylinder, HCN, 10 ppm in N2, 34AL	235.00
81-1054RK	Regulator, demand flow for 34AL/58AL/103L	280.00
82-0300RK	PID lamp cleaning kit with removal tool	40.00