

FLUKE®



## One tool. Get more done.

Measure temperature,  
humidity, velocity, CO, and CO<sub>2</sub>  
with the **NEW**  
Fluke 975 AirMeter™.

# One tool. Quick answers. New Fluke 975 AirMeter™



The Fluke 975 AirMeter™ raises indoor air monitoring to the next level by combining five powerful tools in one rugged and easy-to-use handheld tool. The Fluke 975 AirMeter™ test tool makes indoor air quality testing easier and faster. It measures:

temperature

velocity

humidity

CO<sub>2</sub>


CO

**New**



### Features

- Simultaneous measurement, logging, and display of temperature, humidity, CO<sub>2</sub>, and CO on a bright, backlit LCD display
- Determine air flow and velocity with available probe attachment\*
- Wet bulb and dewpoint temperature
- % of outside air calculation
- CO<sub>2</sub> and CO field calibration
- Auto-backlight
- Min/Max/Average on all measured and calculated readings
- Metric or standard units
- Data logging
- FlukeView® Forms software



### Use the Fluke 975 AirMeter™ test tool to:

- Respond to comfort-related calls from occupants
- Verify the operation of building HVAC control systems
- Determine whether adequate ventilation exists
- Monitor air flow and velocity\*
- Test for dangerous carbon monoxide leaks
- Optimize HVAC systems to manage energy costs

\*with available air velocity accessory probe

# Get more done with Fluke tools designed for all of your HVAC and IAQ needs.

FLUKE®

Multipurpose thermometer for heating, ventilation, air conditioning and refrigeration inspections. Lighten up your toolbox with the one tool that combines the temperature measurement functions professionals need most for inspecting HVAC/R. The **Fluke 561 HVACPro** provides both non-contact and contact temperature measurements, replacing several other test tools. It is fast, efficient and easy to use, saving you valuable time and effort.



Diagnose and repair HVAC/R systems with a True-rms Clamp Meter that measures capacitance, temperature, and DC microamps. With true-rms technology and a CAT III 600 V rating in a rugged, reliable case, the **Fluke 902 HVAC True-rms Clamp Meter** is an essential part of any HVAC/R professional's toolkit.



Locate building problems quickly and easily with the **Fluke TiR Series Thermal Imagers**. High-resolution, industry-leading sensitivity and large five-inch color display make these imagers perfect for building diagnostics. Optional IR Fusion technology integrates thermal and visual images. A 180° articulating lens plus one-finger SmartFocus deliver great images when access is poor. Built-in auto-capture, alarm, and analysis functions help you locate intermittent problems (TiR2 and TiR4 only). Powerful analysis and reporting software is included with all of the TiR Series imagers.

*Fluke. Keeping your world up and running.™*

**Fluke Corporation**  
PO Box 9090, Everett, WA USA 98206

**Fluke Europe B.V.**  
PO Box 1186, 5602 BD  
Eindhoven, The Netherlands

**For more information call:**  
In the U.S.A. (800) 443-5853 or  
Fax (425) 446-5116  
In Europe/M-East/Africa +31 (0) 40 2675 200 or  
Fax +31 (0) 40 2675 222  
In Canada (800)-36-FLUKE or  
Fax (905) 890-6866  
From other countries +1 (425) 446-5500 or  
Fax +1 (425) 446-5116  
Web access: <http://www.fluke.com>

©2006 Fluke Corporation. All rights reserved.  
Specifications subject to change without notice.  
Printed in U.S.A. 8/2006 2718846 B-EN-N Rev A